

Woodlands Park Primary School



## Power Maths White Rose Edition calculation policy, UPPER KS2



## **KEY STAGE 2** In upper Key Stage 2, children build on secure foundations in calculation, and develop fluency, accuracy and flexibility in their approach to the four operations. They work with whole numbers and adapt their skills to work with decimals, and they continue to develop their ability to select appropriate. accurate and efficient operations. Key language: decimal, column methods, exchange, partition, mental method, ten thousand, hundred thousand, million, factor, multiple, prime number, square number, cube number Addition and subtraction: Children build on their Multiplication and division: Building on their Fractions: Children find fractions of amounts, understanding, children develop methods to column methods to add and subtract numbers multiply a fraction by a whole number and by multiply up to 4-digit numbers by single-digit and another fraction, divide a fraction by a whole with up to seven digits, and they adapt the methods to calculate efficiently and effectively 2-digit numbers. number, and add and subtract fractions with with decimals, ensuring understanding of place different denominators. Children become more value at every stage. Children develop column methods with an confident working with improper fractions and mixed numbers and can calculate with them. understanding of place value, and they continue Children compare and contrast methods, and they to use the key skill of unitising to multiply and select mental methods or jottings where divide by 10, 100 and 1,000. Understanding of decimals with up to 3 decimal appropriate and where these are more likely to be places is built through place value and as efficient or accurate when compared with formal Written division methods are introduced and fractions, and children calculate with decimals in column methods. adapted for division by single-digit and 2-digit the context of measure as well as in pure numbers and are understood alongside the area arithmetic. Bar models are used to represent the calculations model and place value. In Year 6, children required to solve problems and may indicate develop a secure understanding of how division is Children develop an understanding of percentages in relation to hundredths, and they where efficient methods can be chosen. related to fractions. understand how to work with common Multiplication and division of decimals are also percentages: 50%, 25%, 10% and 1%. introduced and refined in Year 6.



		Year 5	
	Concrete	Pictorial	Abstract
Year 5 Addition			
Column addition with whole numbers	Use place value equipment to represent additions. TTh Th H T O Add a row of counters onto the place value grid to show 15,735 + 4,012.	Represent additions, using place value equipment on a place value grid alongside written methods. The the the transformed state of the	Use column addition, including exchanges.
Representing additions		Bar models represent addition of two or more numbers in the context of problem solving.	Use approximation to check whether answers are reasonable. TTh Th H T O 2 3 4 0 5 + 7 8 9 2 2 0 2 9 7 1 will use 23,000 + 8,000 to check.




Adding tenths	Link measure with addition of decimals. Two lengths of fencing are 0.6 m and 0.2 m. How long are they when added together? 0.6 m 0.2 m	Jen $f2.600$ Holly $f2.600$ $f1.450$ f4.050 Th H T O 2 6 0 0 + 1 4 5 0 4 0 5 0 Use a bar model with a number line to add tenths. 0.6 m 0.2 m 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1 0.6 + 0.2 = 0.8 6 tenths + 2 tenths = 8 tenths	Understand the link with adding fractions. $\frac{6}{10} + \frac{2}{10} = \frac{8}{10}$ $6 \text{ tenths} + 2 \text{ tenths} = 8 \text{ tenths}$ $0.6 + 0.2 = 0.8$
Adding decimals using column addition	Use place value equipment to represent additions. Show 0.23 + 0.45 using place value counters.	Use place value equipment on a place value grid to represent additions. Represent exchange where necessary.	Add using a column method, ensuring that children understand the link with place value.



		Include examples where the numbers of decimal places are different.	Include exchange where required, alongside an understanding of place value. $\begin{array}{r rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$
Year 5 Subtraction			
Column subtraction with whole numbers	Use place value equipment to understand where exchanges are required. 2,250 – 1,070 = ?	Represent the stages of the calculation using place value equipment on a grid alongside the calculation, including exchanges where required. 15,735 - 2,582 = 13,153	Use column subtraction methods with exchange where required. $\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$








Checking strategies and representing subtractions	problem contexts difference'. Athletics Stadium	esent subtractions in s, including 'find the 75,450 42,300 5,735 ?	Children can explain the when the columns have correctly. Use approximation to cheat the base of the term of term of the term of term	not been ordered         neck calculations.         Correct method         TTh Th H T O         I 7 8 7 7         + 4 0 I 2         2 I 8 8 9         1         1
Choosing efficient methods			<i>check my subtraction.</i> To subtract two large nucleose, children find the constraint of the constrai	lifference by +2 2,000 2,002 ubtractions. 55 = 5,191.



Subtracting decimals	Explore complements to a whole number by working in the context of length. 0.49  m 1  m - 0  m = 0  m 1 - 0.49 = ?	Use a place value grid to represent the stages of column subtraction, including exchanges where required. 5.74 - 2.25 = ? $\overrightarrow{0 + Tth + Hth}$ $\overrightarrow{0 + 2.25} = ?$ $\overrightarrow{0 + Tth + Hth}$ $\overrightarrow{0 + 2.25} = ?$ $\overrightarrow{0 + Tth + Hth}$ $\overrightarrow{0 + 2.25} = ?$ $\overrightarrow{0 + Tth + Hth}$ $\overrightarrow{0 + 2.25}$ $\overrightarrow{0 + 2.25} = ?$ $\overrightarrow{0 + 1}$ $\overrightarrow{0 + 1}$ $\overrightarrow{1 + 1}$	Use column subtraction, with an understanding of place value, including subtracting numbers with different numbers of decimal places. $2 \cdot 000 - 0 \cdot 296 = ?$ $\frac{0 \bullet Tth Hth Thth}{1 / 2 \bullet 9 / 9 / 9 / 10}{-0 \cdot 2 \cdot 9 \cdot 6}{-1 \cdot 7 \cdot 0 \cdot 4}$
Year 5 Multiplication			
Understanding factors	Use cubes or counters to explore the meaning of 'square numbers'.	Use images to explore examples and non- examples of square numbers.	Understand the pattern of square numbers in the multiplication tables. Use a multiplication grid to circle each square number. Can children spot a pattern?









Multiplying by multiples of 10, 100 and 1,000	Use place value equipment to explore multiplying by unitising. 5 groups of 3 ones is 15 ones. 5 groups of 3 tens is 15 tens. So, I know that 5 groups of 3 thousands would be 15 thousands.	Use place value equipment to represent how to multiply by multiples of 10, 100 and 1,000. $4 \times 3 = 12$ $4 \times 300 = 1,200$ $6 \times 4 = 24$ $6 \times 400 = 2,400$	Use known facts and unitising to multiply. $5 \times 4 = 20$ $5 \times 40 = 200$ $5 \times 400 = 2,000$ $5 \times 4,000 - 20,000$ $5,000 \times 4 = 20,000$
Multiplying up to 4-digit numbers by a single digit	Explore how to use partitioning to multiply efficiently. $8 \times 17 = ?$ $8 \times 10 = 80$ $8 \times 10 = 80$ $8 \times 7 = 56$ 80 + 56 = 136 So, $8 \times 17 = 136$	Represent multiplications using place value equipment and add the 1s, then 10s, then 100s, then 1,000s.         H       T       O         0       0       0       0         0       0       0       0         0       0       0       0       0         0       0       0       0       0         0       0       0       0       0         0       0       0       0       0         0       0       0       0       0         0       0       0       0       0         0       0       0       0       0         0       0       0       0       0         0       0       0       0       0         0       0       0       0       0         0       0       0       0       0         0       0       0       0       0       0	Use an area model and then add the parts. $100  60  3$ $5  100 \times 5 = 500  60 \times 5 = 300  3 \times 5 = 15$ Use a column multiplication, including any required exchanges. $\frac{H T O}{17} \times 8$ $1 3 6$ $1 3 6$ $5$











Multiplying decimals by 10, 100 and 1,000	Use place value equipment to explore and understand the exchange of 10 tenths, 10 hundredths or 10 thousandths.	Represent multiplication by 10 as exchange on a place value grid. i) $0.14 \times 10 =$ $0.14 \times 10 =$ $0.14 \times 10 = 1.4$	Understand how this exchange is represented on a place value chart. $2.5 \times 10 = 25$ $2.5 \times 100 = 250$ $2.5 \times 1,000 = 2,500$ $2 = 5 = 0$
Year 5 Division			
Understanding factors and prime numbers	Use equipment to explore the factors of a given number. $24 \div 3 = 8$ $24 \div 8 = 3$ 8 and 3 are factors of 24 because they divide 24 exactly.	Understand that prime numbers are numbers with exactly two factors. $13 \div 1 = 13$ $13 \div 2 = 6 r 1$ $13 \div 4 = 4 r 1$ 1 and 13 are the only factors of 13. 13 is a prime number.	Understand how to recognise prime and composite numbers. <i>I know that 31 is a prime number because it</i> <i>can be divided by only 1 and itself without</i> <i>leaving a remainder.</i> <i>I know that 33 is not a prime number as it</i> <i>can be divided by 1, 3, 11 and 33.</i> <i>I know that 1 is not a prime number, as it</i> <i>has only 1 factor.</i>



	24 ÷ 5 = 4 remainder 4.		
Understanding inverse operations and the link with multiplication, grouping and sharing	Use equipment to group and share and to explore the calculations that are present. <i>I have 28 counters.</i> <i>I made 7 groups of 4. There are 28 in total.</i> <i>I have 28 in total. I shared them equally into</i> <i>7 groups. There are 4 in each group.</i> <i>I have 28 in total. I made groups of 4. There</i> <i>are 7 equal groups.</i>	Represent multiplicative relationships and explore the families of division facts. 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0 =	Represent the different multiplicative relationships to solve problems requiring inverse operations. $12 \div 3 = 2$ $12 \div 3 = 12$ $12 \div 3 = 12$ $12 \div 3 = 12$ $12 \div 3 = 12$ Understand missing number problems for division calculations and know how to solve them using inverse operations. $22 \div 2 = 2$ $22 \div 2 = 2$ $2 \div 2 = 2$ $2 \div 2 = 2$
Dividing whole numbers by 10, 100 and 1,000	Use place value equipment to support unitising for division. $4,000 \div 1,000$	Use a bar model to support dividing by unitising. $380 \div 10 = 38$ $380$	Understand how and why the digits change on a place value grid when dividing by 10, 100 or 1,000. Th H T O 3 2 0 0




	4,000 is 4 thousands. 4 × 1,000 = 4,000 So, 4,000 ÷ 1,000 = 4	$380$ $380 is 38 tens.$ $380 is 38 tens.$ $38 \times 10 = 380$ $10 \times 38 = 380$ $So, 380 \div 10 = 38$	$3,200 \div 100 = ?$ 3,200  is  3  thousands and  2  hundreds. $200 \div 100 = 2$ $3,000 \div 100 = 30$ $3,200 \div 100 = 32$ So, the digits will move two places to the right.
Dividing by multiples of 10, 100 and 1,000	Use place value equipment to represent known facts and unitising.	Represent related facts with place value equipment when dividing by unitising. 180 is 18 tens. 18 tens divided into groups of 3 tens. There are 6 groups. $180 \div 30 = 6$ 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Reason from known facts, based on understanding of unitising. Use knowledge of the inverse relationship to check. $3,000 \div 5 = 600$ $3,000 \div 500 = 6$ $5 \times 600 = 3,000$ $50 \times 60 = 3,000$ $500 \times 6 = 3,000$



There are 2 groups of 4 in 8 ones. $3,500 + 350 + 42 = 3,892$	Dividing up to four digits by a single digit using short division	Explore grouping using place value equipment. 268 ÷ 2 = ? There is 1 group of 2 hundreds. There are 3 groups of 2 tens. There are 4 groups of 2 ones. 264 ÷ 2 = 134	Use place value equipment on a place value grid alongside short division. The model uses grouping. A sharing model can also be used, although the model would need adapting. $4 \boxed{4 \ 8} \qquad \boxed{1 \ 0} \ 0 \ 0 \ 0 \ 0 \ 0 \ 0 \ 0 \ 0 \ $	Use short division for up to 4-digit numbers divided by a single digit. $ \begin{array}{r} \hline 0 & 5 & 5 & 6 \\ \hline 7 & 3 & ^38 & ^3q & ^42 \\ \hline \hline 1 & 1 & 1 & 1 \\ \hline \end{array} $ $ \begin{array}{r} 3,892 \div 7 = 556 \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\$
---	---	---	---	---





Dividing decimals by 10, 100 and 1,000	Understand division by 10 using exchange. 2 ones are 20 tenths. 20 tenths divided by 10 is 2 tenths.	Represent division using exchange on a place value grid. T O Tth Hth T O Tth Hth T O Tth Hth 32 is 3 tens and 2 ones. This is equivalent to 30 ones and 20 tenths. 30 ones divided by 10 is 3 ones. 20 tenths divided by 10 is 2 tenths. 32 divided by 10 is 3.2.	Understand the movement of digits on a place value grid. $\begin{array}{r} \hline 0 & \hline Tth & Hth & Thth \\ \hline 0 & 8 & 5 \\ \hline 0 & \hline 0 & 8 & 5 \\ \hline 0 & \hline 0 & 8 & 5 \\ \hline 0 & \hline 0 & 8 & 5 \\ \hline 0 & \hline Tth & Hth & Thth \\ \hline 8 & 5 & \hline 0 & \hline 0 & 8 & 5 \\ \hline 8 \cdot 5 \div 100 = 0 \cdot 085 \end{array}$
Understanding the relationship between fractions and division	Use sharing to explore the link between fractions and division. <i>1 whole shared between 3 people.</i> <i>Each person receives one-third.</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>(</i>	Use a bar model and other fraction representations to show the link between fractions and division. $I \div 3 = \frac{1}{3}$	Use the link between division and fractions to calculate divisions. $5 \div 4 = \frac{5}{4} = 1\frac{1}{4}$ $11 \div 4 = \frac{11}{4} = 2\frac{3}{4}$



	Year 6			
	Concrete	Pictorial	Abstract	
Year 6 Addition				
Comparing and selecting efficient methods	Represent 7-digit numbers on a place value grid and use this to support thinking and mental methods.	Discuss similarities and differences between methods, and choose efficient methods based on the specific calculation. Compare written and mental methods alongside place value representations.	Use column addition where mental methods are not efficient. Recognise common errors with column addition. 17,877 + 4,012 = ?	
		I       4       0       3       6       5         40,365       3,572       +       3       5       7       2         I       I       I       I       I       I       I         I       I       I       I       I       I       I	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
		Use bar model and number line representations to model addition in problem-solving and measure contexts. $\underbrace{+1 \text{ hour}}_{12:05} \underbrace{+3 \text{ minutes}}_{13:05} \underbrace{+1 \text{ minutes}}_{13:13}$	Which method has been completed accurately? What mistake has been made? Column methods are also used for decimal additions where mental methods are not efficient.	
			I       4       0       0       9         +       4       9       8       9         I       8       9       9       8         I       8       9       9       8	



Selecting mental methods for larger numbers where appropriate	Represent 7-digit numbers on a place value grid and use this to support thinking and mental methods. $\underbrace{\longrightarrow  HTh  Th  H  T  O}_{OOO} = ?$ This would be 5 more counters in the HTh place. So, the total is 2,911,301. 2,411,301 + 500,000 = 2,911,301	Use a bar model to support thinking in addition problems. 257,000 + 99,000 = ? 1 = 100,000 <i>f</i> added 100 thousands then subtracted 1 thousand. 257 thousands + 100 thousands = 357 thousands 257,000 + 100,000 = 357,000 357,000 - 1,000 = 356,000 So, 257,000 + 99,000 = 356,000	Use place value and unitising to support mental calculations with larger numbers. 195,000 + 6,000 = ? 195 + 5 + 1 = 201 195 thousands + 6 thousands = 201 thousands So, 195,000 + 6,000 = 201,000
Understanding order of operations in calculations	Use equipment to model different interpretations of a calculation with more than one operation. Explore different results. $3 \times 5 - 2 = ?$	Model calculations using a bar model to demonstrate the correct order of operations in multi-step calculations. $16 \times 4$ cob $444444444444444444444444444444444444$	Understand the correct order of operations in calculations without brackets. Understand how brackets affect the order of operations in a calculation. $4 + 6 \times 16$ 4 + 96 = 100 $(4 + 6) \times 16$ $10 \times 16 = 160$



Year 6 Subtraction			
Comparing and selecting efficient methods	Use counters on a place value grid to represent subtractions of larger numbers.	Compare subtraction methods alongside place value representations. $\begin{array}{c} 2.679 \\ \hline \hline$	Compare and select methods.         Use column subtraction when mental methods are not efficient.         Use two different methods for one calculation as a checking strategy.         Image: transmission of the strategy of th




Subtracting mentally with larger numbers		Use a bar model to show how unitising can support mental calculations. 950,000 - 150,000 That is 950 thousands - 150 thousands 950 $150 \leftarrow 800$ So, the difference is 800 thousands. 950,000 - 150,000 = 800,000	Subtract efficiently from powers of 10. 10,000 - 500 = ?
Year 6 Multiplication Multiplying up to a 4-digit number by a single digit number	Use equipment to explore multiplications. $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Use place value equipment to compare methods. Method I $3 \ 2 \ 5 \ 5$ $3 \ 2 \ 2 \ 5$ $4 \ 3 \ 2 \ 2 \ 5$ $1 \ 2 \ 9 \ 0 \ 0$ $1 \ 1 \ 1 \ 1$ Method 2 $4 \ x \ 3,000 \ + \ 800 \ + \ 80 \ + \ 20 \ = \ 12,900$	Understand area model and short multiplication.Compare and select appropriate methods for specific multiplications.Method 3 $3,000 \ 200 \ 20 \ 5 \ 4 \ 12,000 \ 800 \ 80 \ 20 \ 12,000 + 800 + 80 + 20 = 12,900$ Method 4 $1 \ 2 \ 9 \ 0 \ 0 \ 1 \ 1 \ 2 \ 1 \ 1$



Multiplying up to a 4-digit number by a		Use an area model alongside written multiplication.	Use compact column multiplication with understanding of place value at all stages.
2-digit number		20 4,000 600 100	2 3 5
		200 30 5	x 2 1
		4,200 + 630 + 105 = 4,935	2 3 5 I × 235
		2 3 5	4 7 <sub>x</sub> 0 0 20 × 235
		x 2 1 5 1×5	4 9 3 5 21 × 235
		3 0 1×30	
		2 0 0 I×200	
		I 0 0 20 × 5	
		6         0         0         20 × 30           4         0         0         0         20 × 300	
		4 0 0 0 20 × 300 4 9 3 5 21 × 235	
Using knowledge of	Use equipment to understand square numbers and cube numbers.	Compare methods visually using an area model. Understand that multiple	Use a known fact to generate families of related facts.
factors and partitions to compare methods for multiplications	$5 \times 5 = 5^{2} = 25$ $5 \times 5 \times 5 = 5^{3} = 25 \times 5 = 125$	approaches will produce the same answer if completed accurately. 20 5,200 × 20 5,200 × 5 5,200 ×	170 × 11 1,870 ÷ 11 = 170 170 × 12 17 × 110

		Represent and compare methods using a bar model.	Use factors to calculate efficiently. $15 \times 16$ $= 3 \times 5 \times 2 \times 8$ $= 3 \times 8 \times 2 \times 5$ $= 24 \times 10$ = 240
Multiplying by 10, 100 and 1,000	Use place value equipment to explore exchange in decimal multiplication. $0.3 \times 10 = ?$ 0.3  is  3  tenths. $10 \times 3 \text{ tenths are } 30 \text{ tenths.}$ 30  tenths are equivalent to  3  ones. $\boxed{\frac{T}{0} + \frac{T \text{ th}}{000}}$ Represent 0-3. $\boxed{\frac{T}{0} + \frac{T \text{ th}}{000}}$ Multiply by 10. $\boxed{\frac{T}{0} + \frac{T \text{ th}}{000}}$ $\boxed{\frac{T}{0} + \frac{T \text{ th}}{000}}$ $\boxed{\frac{T \text{ th}}{000}}$	Understand how the exchange affects decimal numbers on a place value grid. $T \qquad 0 \qquad $	Use knowledge of multiplying by 10, 100 and 1,000 to multiply by multiples of 10, 100 and 1,000. $8 \times 100 = 800$ $8 \times 300 = 800 \times 3$ = 2,400 $2.5 \times 10 = 25$ $2.5 \times 20 = 2.5 \times 10 \times 2$ = 50






Year 6 Division			
Understanding factors	Use equipment to explore different factors of a number. 24 ÷ 4 = 6	Recognise prime numbers as numbers having exactly two factors. Understand the link with division and remainders.	Recognise and know primes up to 100. Understand that 2 is the only even prime, and that 1 is not a prime number.
Dividing by a single digit	Use equipment to make groups from a total. There are 78 in total. There are 6 groups of 13. There are 13 groups of 6.	HTO	Use short division to divide by a single digit. $ \begin{array}{r}       0 \\       6 \\       1 \\       3 \\       2   \end{array} $ $ \begin{array}{r}       0 \\       2 \\       6 \\       1 \\       3 \\       2   \end{array} $

			Use an area model to link multiplication and division.
			$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
Dividing by a 2-digit number using factors	Understand that division by factors can be used when dividing by a number that is not prime.	Use factors and repeated division. $1,260 \div 14 = ?$ 1.260 $1,260 \div 2 = 630$ $630 \div 7 = 90$ $1,260 \div 14 = 90$	Use factors and repeated division where appropriate. 2,100 $\div$ 12 = ? 2,100 $\rightarrow$ $\begin{pmatrix} \div 2 \\ 2 \\ 2 \\ 100 \\ \hline \\ 2 \\ 100 \\ \hline \\ 2 \\ 100 \\ \hline \\ \hline \\ 2 \\ 100 \\ \hline \\ \hline \\ \hline \\ 2 \\ 100 \\ \hline \\ \hline \\ \hline \\ \hline \\ 2 \\ 100 \\ \hline \\ \hline \\ \hline \\ \hline \\ \hline \\ \hline \\ 2 \\ 100 \\ \hline \\$
Dividing by a 2-digit number using long division	Use equipment to build numbers from groups.	Use an area model alongside written division to model the process. $377 \div 13 = ?$ $13 \qquad ?$ $13 \qquad 377$ $10 \qquad ?$ $13 \qquad 130 \qquad 247$ $13 \qquad 10 \qquad 10 \qquad ?$ $13 \qquad 130 \qquad 130 \qquad 117$	Use long division where factors are not useful (for example, when dividing by a 2-digit prime number). Write the required multiples to support the division process. $377 \div 13 = ?$







Dividing by 10, 100 and 1,000	Use place value equipment to explore division as exchange.	Represent division to show the relationship with multiplication. Understand the effect of dividing by 10, 100 and 1,000 on the digits on a place value grid. $\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Use knowledge of factors to divide by multiples of 10, 100 and 1,000. $40 \div 50 = 10$ $40 \rightarrow \div 10 \rightarrow \div 5 \rightarrow ?$ $40 \rightarrow \div 5 \rightarrow \div 10 \rightarrow ?$ $40 \div 5 = 8$ $8 \div 10 = 0.8$ So, $40 \div 50 = 0.8$
Dividing decimals	Use place value equipment to explore division of decimals. 8 tenths divided into 4 groups. 2 tenths in each group.	Use a bar model to represent divisions. $ \begin{array}{c c} 0.8 \\ ? & ? & ? & ? \\ 4 \times 2 = 8 & 8 \div 4 = 2 \\ \text{So, } 4 \times 0.2 = 0.8 & 0.8 \div 4 = 0.2 \end{array} $	Use short division to divide decimals with up to 2 decimal places. $ \begin{array}{r}                                     $